

K·RAD

DESIGNER
HEATING
2021



DESIGNER HEATING 2021

Kartell UK has established a reputation as a premier supplier of high quality products to the UK Plumbing and Heating Sector. We are delighted to introduce our 2021 K-Rad Designer Radiator brochure. Take a look at our wide range, all designed to provide exactly what we have become famous for at Kartell – delivering a quality product, offering a quality service and delivering at a competitive price.

Within these pages you will find the latest designer radiators and towel rails, influenced by fashions and designers across Europe. You will also find the traditional styles that have remained with us over the years; solid functional designs with durability and ease of use and maintenance. We trust that you will enjoy this new catalogue.

Designer Radiators

Aspen White Horizontal	4
Aspen White Vertical	5
Aspen Anthracite Horizontal	6
Aspen Anthracite Vertical	7
Aspen Stainless Horizontal	8
Aspen Stainless Vertical	9
Boston Chrome	10
Boston Anthracite	11
Boston White	12
Florida	13
Laser Klassic Horizontal	14
Laser Klassic Vertical	15
Laser Klassic Horizontal Raw Metal	16
Laser Klassic Vertical Raw Metal	17
Laser Klassic Horizontal Anthracite	18
Laser Klassic Vertical Anthracite	19
K-Flat Horizontal	20
K-Flat Vertical	21
K-Flat Premium Horizontal	22
K-Flat Premium Vertical	23
Vermont	24
Vermont Hi	25
Nostalgia	26
Legacy	27
San Jose	28
Miami	29
Cincinnati	30
Kansas	31
Los Angeles	32
Crown	33
Idaho	34

Designer Towel Rails


Toledo	35
Metro	36
Ohio	37
Connecticut	38
Orlando	39
Newark	40
Memphis	41
Atlantic	42
Mode	43
Oregon Chrome	44
Oregon Anthracite	45
Phoenix	46
New York	47
Oakland	48
K Squared	49
K Rail 22mm Black	50
K Rail 22mm Anthracite	51
Coloured K-Rails	52
K Rail 22mm White	54
K Rail 22mm Chrome	55
K Rail 25mm Chrome	56
Electric rails	57

Radiator Valves & Extras 58-61




K-Rad Kolours


A selection of our most popular RAL colours are available on most products, for those that require a more unique look. Our K-Rad Kolours are ready to go so your product can be delivered to you in 2 weeks.




RAL 9010
Pure White




RAL 1013
Oyster White




RAL 9002
Grey White



RAL 7032
Pebble Grey




RAL 7001
Silver Grey




RAL 5024
Pastel Blue




RAL 5002
Ultramarine




RAL 7016
Anthracite




RAL 5013
Cobalt Blue




RAL 9005
Jet Black




RAL 6019
Pastel Green



RAL 1016
Sulphur Yellow



RAL 2004
Brilliant Orange



RAL 3020
Traffic Red



RAL 4010
Telemagenta

Cast Iron & Tubular Steel: £36 per section surcharge for Kartell Kolours.

K-Flats & K-Rads: price on application for Kartell Kolours.


Other colours only available upon request. Please contact the sales office for pricing.


Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-37SW	600	360	55	360	51	1434	195.19
ASP60-55SW	600	540	55	540	51	2234	274.52
ASP60-79SW	600	780	55	780	51	3309	370.57
ASP60-97SW	600	960	55	960	51	4428	442.24
ASP60-115SW	600	1140	55	1140	51	5111	516.88
ASP60-145SW	600	1440	55	1440	51	6377	640.40
Aspen Double							
ASP60-37DW	600	360	79	360	51	2467	283.68
ASP60-55DW	600	540	79	540	51	3850	396.44
ASP60-79DW	600	780	79	780	51	5694	544.35
ASP60-97DW	600	960	79	960	51	7591	652.65
ASP60-115DW	600	1140	79	1140	51	8645	765.53
ASP60-145DW	600	1440	79	1440	51	10780	945.38







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSW	1600	420	55	420	51	4187	373.55
ASP18-31VSW	1800	300	55	300	51	3563	309.55
ASP18-43VSW	1800	420	55	420	51	4796	410.18
ASP18-55VSW	1800	540	55	540	51	6299	510.81
Aspen Double							
ASP16-43VDW	1600	420	79	420	51	8170	503.25
ASP18-31VDW	1800	300	79	300	51	6933	396.44
ASP18-43VDW	1800	420	79	420	51	9540	536.80
ASP18-55VDW	1800	540	79	540	51	12283	677.03



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
Aspen Single							
ASP60-37SA	600	360	55	360	51	1434	199.77
ASP60-55SA	600	540	55	540	51	2234	283.68
ASP60-79SA	600	780	55	780	51	3309	381.22
ASP60-97SA	600	960	55	960	51	4428	457.46
ASP60-115SA	600	1140	55	1140	51	5111	533.71
ASP60-145SA	600	1440	55	1440	51	6377	660.32
Aspen Double							
ASP60-37DA	600	360	79	360	51	2467	292.73
ASP60-55DA	600	540	79	540	51	3850	408.69
ASP60-79DA	600	780	79	780	51	5694	561.18
ASP60-97DA	600	960	79	960	51	7591	670.97
ASP60-115DA	600	1140	79	1140	51	8645	786.82
ASP60-145DA	600	1440	79	1440	51	10780	975.94







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
Aspen Single							
ASP16-43VSA	1600	420	55	420	51	4187	384.31
ASP18-31VSA	1800	300	55	300	51	3563	318.71
ASP18-43VSA	1800	420	55	420	51	4796	422.43
ASP18-55VSA	1800	540	55	540	51	6299	526.04
Aspen Double							
ASP16-43VDA	1600	420	79	420	51	8170	586.96
ASP18-31VDA	1800	300	79	300	51	6933	410.18
ASP18-43VDA	1800	420	79	420	51	9540	553.51
ASP18-55VDA	1800	540	79	540	51	12283	696.84



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP60-40S	600	400	63	400	50	1271	381.22
ASP60-57S	600	570	63	570	50	1902	452.88
ASP60-80S	600	800	63	800	50	2749	526.04
ASP60-100S	600	1000	63	1000	50	3592	565.76
ASP60-120S	600	1200	63	1200	50	4016	587.05
ASP60-150S	600	1500	63	1500	50	5 075	734.96
Aspen Double							
ASP60-40D	600	400	88	370	70	2187	736.56
ASP60-57D	600	570	88	550	70	3285	713.67
ASP60-75D	600	800	88	790	70	4379	985.10
ASP60-100D	600	1000	88	970	70	6204	1070.50
ASP60-120D	600	1200	88	1150	70	6904	1151.33
ASP60-150D	600	1500	88	1450	70	8763	1460.88







Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm) (c1)	Tapping Centres (mm) (c2)	Heat Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
Aspen Single							
ASP180-25S	1800	250	63	250	50	2334	582.47
ASP180-31S	1800	310	63	310	50	2918	703.02
ASP180-45S	1800	450	63	450	50	4059	943.89
ASP180-56S	1800	560	63	560	50	5248	1183.27
Aspen Double							
ASP180-25D	1800	250	88	250	70	4552	1008.91
ASP180-31D	1800	310	88	310	70	5690	1294.88
ASP180-45D	1800	450	88	450	70	7916	1799.40
ASP180-56D	1800	560	88	560	70	10234	2181.87



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410C	1200	410	370	50	1638	359.93
BOS1200-480C	1200	480	440	50	1911	413.27
BOS1200-550C	1200	550	510	50	2185	460.55
1600 Series						
BOS1600-410C	1600	410	370	50	2133	417.85
BOS1600-480C	1600	480	440	50	2489	480.36
BOS1600-550C	1600	550	510	50	2845	538.28
1800 Series						
BOS1800-410C	1800	410	370	50	2380	451.39
BOS1800-480C	1800	480	440	50	2777	519.97
BOS1800-550C	1800	550	510	50	3174	577.90







Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410A	1200	410	370	50	2,488	242.47
BOS1200-480A	1200	480	440	50	2,904	279.10
BOS1200-550A	1200	550	510	50	3,319	311.04
1600 Series						
BOS1600-410A	1600	410	370	50	3,240	282.08
BOS1600-480A	1600	480	440	50	3,781	324.78
BOS1600-550A	1600	550	510	50	4,322	362.90
1800 Series						
BOS1800-410A	1800	410	370	50	3,616	304.97
BOS1800-480A	1800	480	440	50	4,219	350.77
BOS1800-550A	1800	550	510	50	4,823	390.38



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)		Heat Output $\Delta t_{60^\circ\text{C}}$ (BTUs)	Price (£)
			(c1)	(c2)		
1200 Series						
BOS1200-410W	1200	410	370	50	2,488	233.31
BOS1200-480W	1200	480	440	50	2,904	268.34
BOS1200-550W	1200	550	510	50	3,319	300.40
1600 Series						
BOS1600-410W	1600	410	370	50	3,240	271.43
BOS1600-480W	1600	480	440	50	3,781	312.64
BOS1600-550W	1600	550	510	50	4,322	349.16
1800 Series						
BOS1800-410W	1800	410	370	50	3,616	294.33
BOS1800-480W	1800	480	440	50	4,219	338.52
BOS1800-550W	1800	550	510	50	4,823	376.64





Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)		Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
				(c1)	(c2)		
600 Series							
FLO490-600	600	490	40	550	50-65	2062	571.83
FLO590-600	600	590	40	550	50-65	2473	644.98
800 Series							
FLO490-800	800	490	40	750	50-65	2749	724.31
FLO590-800	800	590	40	750	50-65	3294	826.43
1000 Series							
FLO490-1000	1000	490	40	950	50-65	3437	920.99
FLO590-1000	1000	590	40	950	50-65	4120	1024.71
1200 Series							
FLO490-1200	1200	490	40	1150	50-65	4120	1044.52
FLO590-1200	1200	590	40	1150	50-65	4946	1187.84
1800 Series							
FLO1800-290	1800	290	40	1750	50-65	3713	986.59
FLO1800-390	1800	390	40	1750	50-65	4946	1308.39


Laser Klassic Horizontal



5 Year Guarantee



Product Code	Height (mm)	Width (mm)	Depth (mm)	C/C Tappings (mm)		No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
	A			B	C			
2 Columns								
LCL206014	600	650	66	535	14	2707	291.24	
LCL206018	600	830	66	535	18	3480	366.45	
LCL206022	600	1010	66	535	22	4255	442.92	
LCL206026	600	1190	66	535	26	5027	515.73	
3 Columns								
LCL306014	600	650	107	535	14	3694	315.51	
LCL306018	600	830	107	535	18	4724	400.45	
LCL306022	600	1010	107	535	22	5773	479.33	
LCL306026	600	1190	107	535	26	6824	564.27	
4 Columns								
LCL404014	400	650	148	335	14	3354	442.92	
LCL404018	400	830	148	335	18	4312	564.27	
LCL404022	400	1010	148	335	22	5269	685.62	
LCL404026	400	1190	148	335	26	6229	806.97	
LCL406014	600	650	148	535	14	4900	357.98	
LCL406018	600	830	148	535	18	6300	455.06	
LCL406022	600	1010	148	535	22	7701	546.07	
LCL406026	600	1190	148	535	26	9102	644.41	
LCL407514	750	650	148	685	14	6043	406.52	
LCL407518	750	830	148	685	18	7769	509.66	
LCL407522	750	1010	148	685	22	9460	618.88	
LCL407526	750	1190	148	685	26	11221	728.09	
6 Columns								
LCL603022	300	1010	230	235	22	5915	858.60	
LCL603026	300	1190	230	235	26	6991	994.26	
LCL603030	300	1370	230	235	30	8067	1143.66	




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet adds 120mm to the height



Code	Description	Price (per pair)
T2F	2 column	£87.35
T3F	3 column	£87.35
T4F	4 column	£87.35
T6F	6 column	£87.35



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.


Product Code	Height (mm)	Width (mm)	Depth (mm)	C/C Tappings (mm)	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
	A		C	B			
2 Columns							
LCL215007	1500	335	66	1435	7	3215	333.71
LCL215009	1500	425	66	1435	9	4133	424.72
LCL215011	1500	515	66	1435	11	5051	509.66
LCL218007	1800	335	66	1735	7	3858	342.18
LCL218009	1800	425	66	1735	9	4960	434.45
LCL218011	1800	515	66	1735	11	6063	521.80
3 Columns							
LCL318007	1800	335	107	1735	7	4146	400.68
LCL318009	1800	425	107	1735	9	5331	515.16
LCL318011	1800	515	107	1735	11	6516	618.19

Laser Klassic Horizontal Raw Metal

5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL206014	600	650	66	535	14	2707	378.61
RMLCL206018	600	830	66	535	18	3480	476.39
RMLCL206022	600	1010	66	535	22	4255	575.81
3 Columns							
RMLCL306014	600	650	107	535	14	3694	410.16
RMLCL306018	600	830	107	535	18	4724	520.59
RMLCL306022	600	1010	107	535	22	5773	623.14
RMLCL306026	600	1190	107	535	26	6824	733.56
4 Columns							
RMLCL404026	400	1190	148	335	26	9102	837.72




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
RMT2F	2 column	£113.34
RMT3F	3 column	£113.34
RMT4F	4 column	£113.34

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
RMLCL218007	1800	335	66	1735	7	3858	444.82
RMLCL218009	1800	425	66	1735	9	4960	564.79
RMLCL218011	1800	515	66	1735	11	6063	678.34

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.

D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.


Laser Klassic Horizontal Anthracite

M Matt Finish

5 5 Year Guarantee



Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL206014	600	650	66	535	14	2707	378.61
ALCL206018	600	830	66	535	18	3480	476.39
ALCL206022	600	1010	66	535	22	4255	575.81
3 Columns							
ALCL306014	600	650	107	535	14	3694	410.16
ALCL306018	600	830	107	535	18	4724	520.59
ALCL306022	600	1010	107	535	22	5773	623.14
ALCL306026	600	1190	107	535	26	6824	733.56
4 Columns							
ALCL404026	400	1190	148	335	26	9102	837.72




D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Optional feet
adds 120mm to the height



Code	Description	Price (per pair)
AT2F	2 column	£113.34
AT3F	3 column	£113.34
AT4F	4 column	£113.34

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.



D (wall to back of radiator) = 30mm/40mm dependant on radiator position on the bracket.

Product Code	Height (mm) A	Width (mm)	Depth (mm) C	C/C Tappings (mm) B	No. of Sections	Heat Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
2 Columns							
ALCL218007	1800	335	66	1735	7	3858	444.82
ALCL218009	1800	425	66	1735	9	4960	564.79
ALCL218011	1800	515	66	1735	11	6063	678.34

Printed colours in this publication, whilst a good reflection, may not be an exact match to the finished products.


K-Flat Kompact Horizontal




10 Year Guarantee



Type 11 Single Convector



Type 22 Double Convective



TYPE 11 Single Convective


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406F	600	56	345	40 or 55	1586	165.98
KS408F	800	56	345	40 or 55	2115	196.61
KS410F	1000	56	345	40 or 55	2644	227.52
KS412F	1200	56	345	40 or 55	3173	263.82
KS414F	1400	56	345	40 or 55	3701	292.14
KS416F	1600	56	345	40 or 55	4230	325.06
500mm high						
KS504F	400	56	445	40 or 55	1279	156.65
KS506F	600	56	445	40 or 55	1918	184.64
KS508F	800	56	445	40 or 55	2558	221.56
KS510F	1000	56	445	40 or 55	3197	259.38
KS512F	1200	56	445	40 or 55	3837	303.31
KS514F	1400	56	445	40 or 55	4476	336.85
KS516F	1600	56	445	40 or 55	5116	369.46
600mm high						
KS604F	400	56	545	40 or 55	1489	167.51
KS606F	600	56	545	40 or 55	2233	200.57
KS608F	800	56	545	40 or 55	2977	243.76
KS610F	1000	56	545	40 or 55	3722	287.09
KS612F	1200	56	545	40 or 55	4466	322.75
KS614F	1400	56	545	40 or 55	5211	375.89
KS616F	1600	56	545	40 or 55	5955	413.70
KS618F	1800	56	545	40 or 55	6699	450.31
KS620F	2000	56	545	40 or 55	7444	487.36

TYPE 22 Double Convective



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406F	600	105	345	82.5 or 97.5	3133	223.86
KD408F	800	105	345	82.5 or 97.5	4178	273.77
KD410F	1000	105	345	82.5 or 97.5	5222	323.83
KD412F	1200	105	345	82.5 or 97.5	6266	380.02
KD414F	1400	105	345	82.5 or 97.5	7311	427.19
KD416F	1600	105	345	82.5 or 97.5	8355	479.54
500mm high						
KD504F	400	105	445	82.5 or 97.5	2499	207.92
KD506F	600	105	445	82.5 or 97.5	3748	256.15
KD508F	800	105	445	82.5 or 97.5	4997	317.26
KD510F	1000	105	445	82.5 or 97.5	6247	378.80
KD512F	1200	105	445	82.5 or 97.5	7496	446.33
KD514F	1400	105	445	82.5 or 97.5	8746	503.74
KD516F	1600	105	445	82.5 or 97.5	9995	560.39
600mm high						
KD604F	400	105	545	82.5 or 97.5	2876	229.67
KD606F	600	105	545	82.5 or 97.5	4314	287.09
KD608F	800	105	545	82.5 or 97.5	5752	359.65
KD610F	1000	105	545	82.5 or 97.5	7190	431.93
KD612F	1200	105	545	82.5 or 97.5	8627	510.48
KD614F	1400	105	545	82.5 or 97.5	10065	578.60
KD616F	1600	105	545	82.5 or 97.5	11503	645.67
KD618F	1800	105	545	82.5 or 97.5	12941	711.20
KD620F	2000	105	545	82.5 or 97.5	14379	777.50



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318F	300	52.5	245	42	1672	300.41
SV418F	400	52.5	345	42	2235	341.89
SV518F	500	52.5	445	42	2791	384.31
SV618F	600	52.5	545	42	3371	431.46

TYPE 20 Double Panel (With Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318F	300	72.5	245	59	2774	431.46
DV418F	400	72.5	345	59	3709	492.26
DV518F	500	72.5	445	59	4603	556.87
DV618F	600	72.5	545	59	5521	616.88
2000mm high						
DV420F	400	72.5	345	59	4159	527.47

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.


K-Flat Premium Kompact Horizontal




5 Year Guarantee



Type 11 Single Convector



Type 22 Double Convective



TYPE 11 Single Convective


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KS406FP	600	56	345	40 or 55	1586	199.20
KS408FP	800	56	345	40 or 55	2115	235.96
KS410FP	1000	56	345	40 or 55	2644	273.01
KS412FP	1200	56	345	40 or 55	3173	316.63
KS414FP	1400	56	345	40 or 55	3701	350.47
KS416FP	1600	56	345	40 or 55	4230	390.13
500mm high						
KS504FP	400	56	445	40 or 55	1279	188.02
KS506FP	600	56	445	40 or 55	1918	221.56
KS508FP	800	56	445	40 or 55	2558	265.94
KS510FP	1000	56	445	40 or 55	3197	311.12
KS512FP	1200	56	445	40 or 55	3837	363.95
KS514FP	1400	56	445	40 or 55	4476	404.21
KS516FP	1600	56	445	40 or 55	5116	443.41
600mm high						
KS604FP	400	56	545	40 or 55	1489	201.04
KS606FP	600	56	545	40 or 55	2233	240.70
KS608FP	800	56	545	40 or 55	2977	292.60
KS610FP	1000	56	545	40 or 55	3722	344.50
KS612FP	1200	56	545	40 or 55	4466	387.37
KS614FP	1400	56	545	40 or 55	5211	450.92
KS616FP	1600	56	545	40 or 55	5955	496.55
KS618FP	1800	56	545	40 or 55	6699	540.32
KS620FP	2000	56	545	40 or 55	7444	584.88

TYPE 22 Double Convective



Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
400mm high						
KD406FP	600	105	345	82.5 or 97.5	3133	268.72
KD408FP	800	105	345	82.5 or 97.5	4178	328.57
KD410FP	1000	105	345	82.5 or 97.5	5222	388.74
KD412FP	1200	105	345	82.5 or 97.5	6266	455.98
KD414FP	1400	105	345	82.5 or 97.5	7311	512.77
KD416FP	1600	105	345	82.5 or 97.5	8355	575.54
500mm high						
KD504FP	400	105	445	82.5 or 97.5	2499	249.58
KD506FP	600	105	445	82.5 or 97.5	3748	307.30
KD508FP	800	105	445	82.5 or 97.5	4997	380.63
KD510FP	1000	105	445	82.5 or 97.5	6247	454.58
KD512FP	1200	105	445	82.5 or 97.5	7496	535.58
KD514FP	1400	105	445	82.5 or 97.5	8746	604.49
KD516FP	1600	105	445	82.5 or 97.5	9995	672.47
600mm high						
KD604FP	400	105	545	82.5 or 97.5	2876	275.75
KD606FP	600	105	545	82.5 or 97.5	4314	344.50
KD608FP	800	105	545	82.5 or 97.5	5752	431.62
KD610FP	1000	105	545	82.5 or 97.5	7190	518.29
KD612FP	1200	105	545	82.5 or 97.5	8627	612.60
KD614FP	1400	105	545	82.5 or 97.5	10065	694.37
KD616FP	1600	105	545	82.5 or 97.5	11503	774.74
KD618FP	1800	105	545	82.5 or 97.5	12941	853.45
KD620FP	2000	105	545	82.5 or 97.5	14379	932.92



Type 10 Vertical Flat Radiator



Type 20 Vertical Flat radiator



Sizes indicated may vary by + or - 2mm

TYPE 10 Single Panel (No Side Panels)

Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
SV318FP	300	52.5	245	42	1672	345.42
SV418FP	400	52.5	345	42	2235	393.19
SV518FP	500	52.5	445	42	2791	441.88
SV618FP	600	52.5	545	42	3371	496.24


TYPE 20 Double Panel (With Side Panels)


Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t_{60^\circ C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1800mm high						
DV318FP	300	72.5	245	59	2774	496.24
DV418FP	400	72.5	345	59	3709	566.05
DV518FP	500	72.5	445	59	4603	640.46
DV618FP	600	72.5	545	59	5521	709.37

K-FLAT Vertical radiators are supplied with an optional retaining stay for enhanced safety. We strongly recommend the implementation of the safety equipment and will not accept responsibility for issues or damage caused by not using the retaining stay.



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
581mm high						
VER500-05	400	95	400	65	2,538	172.76
VER500-08	640	95	640	65	4,060	258.28
VER500-10	800	95	800	65	5,075	313.68
VER500-13	1040	95	1040	65	6,598	399.20
VER500-15	1200	95	1200	65	7,613	456.24
VER500-18	1440	95	1440	65	9,136	545.15
681mm high						
VER600-05	400	95	400	65	3,091	179.45
VER600-08	640	95	640	65	4,946	268.35
VER600-10	800	95	800	65	6,182	328.80
VER600-13	1040	95	1040	65	8,037	419.34
VER600-15	1200	95	1200	65	9,273	478.01
VER600-18	1440	95s	1440	65	11,128	573.60







Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)		
1870m high						
VER1800-03HI	240	100	240	65	3,691	450.51
VER1800-04HI	320	100	320	65	4,922	615.53
VER1800-05HI	400	100	400	65	6,152	712.89
VER1800-06HI	480	100	480	65	7,382	842.09
VER1800-07HI	560	100	560	65	8,613	997.98



Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)		No. of Sections	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
			(c1)	(c2)			
760mm high							
600/180/6	456	180	476	122/132	6	3132	629.11
954mm high							
800/180/6	456	180	476	122/132	6	3906	849.23



Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.



Supplied in dark grey primer RAL7022 as shown left.

Product Code	Width (mm)	Depth (mm)	Tapping Centres (mm)	No. of Sections	Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
660mm high						
4/65/10	600	144	620	10	4007	655.52
4/65/13	780	144	800	13	5209	856.84
4/65/17	1020	144	1040	17	6812	1109.54
4/65/21	1260	144	1280	21	8414	1362.25
760mm high						
4/75/10	600	144	620	10	4652	726.98
4/75/13	780	144	800	13	6047	949.83
4/75/17	1020	144	1040	17	7908	1231.23
4/75/21	1260	144	1280	21	9768	1512.50

Supplied in dark grey primer (RAL7022) for over painting. RAL colour finish available - POA
Please ensure that you have a joining key, to check all joints are tight before installing.


San Jose

Chrome Plated

5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
SJC-1	1300	600	100	2786	636.74



Chrome
Plated

5
5 Year
Guarantee

Miami



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MIA (Horizontal)	450	1400	1350	1708	474.06

MIA (Vertical)	1400	450	1350	1708	474.06
-----------------------	------	-----	------	------	--------

Cincinnati

M Matt Finish

5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)	
CVG	2000	351	50	4628	649.67	

M Matt Finish

5 5 Year Guarantee

Kansas



Height

Tapplings
Width

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
--------------	-------------	------------	----------------------	--	-----------

MCI	2000	276	50	5369	776.98
------------	------	-----	----	------	---------------


Los Angeles

M Matt Finish

5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
LAX	1604	500	50	4778	517.45



Chrome
Plated

5 Year
Guarantee


Crown




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
LAS	945	675	528	5521	438.46
LAS-1	945	500	356	3013	419.34



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
IDA15-0240	1500	240	200	2667	744.12
IDA15-0340	1500	340	300	3735	1041.54
IDA18-0240	1800	240	200	3200	858.49
IDA18-0340	1800	340	300	4483	1114.69
IDA18-0440	1800	440	400	5780	1422.76
ZXIDA	Optional Towel Holder				221.07





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
TOL500-1200	1200	500	445	2770	634.10
TOL600-1200	1200	600	545	3440	761.18


Metro


SS Stainless Steel

10 10 Year Guarantee



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MET800-500	800	500	475	1701	269.37
MET800-600	800	600	575	1841	282.08
MET1200-500	1200	500	475	2192	387.63
MET1200-600	1200	600	575	2625	405.37





Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OHI500-800P	800	500	450	2321	567.25
OHI500-1200P	1200	500	450	3480	727.41


Connecticut

SS Stainless Steel

10 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CON500-900	900	500	472	843	480.36
CON350-1200	1200	350	322	891	449.79
CON500-1200	1200	500	472	1124	609.95
CON350-1800	1800	350	322	1050	594.72
CON500-1800	1800	500	472	1323	837.19





Straight

Curved




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720	720	500	468	1556	349.16
ORL600-720	720	600	568	1682	404.11
ORL500-1200	1200	500	468	2410	519.97
ORL600-1200	1200	600	568	2564	558.09
ORL500-1500	1500	500	468	2853	631.24
ORL600-1500	1500	600	568	3022	669.36

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORL500-720C	720	500	468	1556	398.05
ORL600-720C	720	600	568	1682	436.17
ORL500-1200C	1200	500	468	2140	582.47
ORL600-1200C	1200	600	568	2564	644.98
ORL500-1500C	1500	500	468	2853	690.77




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t_{60^{\circ}\text{C}}$ (BTUs)	Price (£)
EWR	952	500	86	462	1201	297.88
EWR-1	1306	500	86	462	1703	337.60



Chrome
Plated

5 Year
Guarantee

Memphis



Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
MEM500-1200	1200	500	65	450	2079	379.96
MEM600-1200	1200	600	65	550	2390	418.08


Atlantic

M Matt Finish

5 5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ATL500-1200A	1185	500	440	2490	376.64



Chrome
Plated

5 Year
Guarantee


Mode



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t 60^{\circ}\text{C}$ (BTUs)	Price (£)
MOD500-800C	800	500	470	900	296.50
MOD500-1200C	1200	500	550	1400	376.64




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200C	1180	500	100	2140	376.64



M Matt Finish

5 5 Year Guarantee

Oregon Anthracite



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
ORE500-1200A	1180	500	100	1652	433.87


Phoenix

Chrome Plated

5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Depth (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
PHX	1150	500	151	400	1945	337.83



Chrome
Plated

5 Year
Guarantee

New York



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
--------------	-------------	------------	----------------------	--	-----------

JFK	906	500	100	1198	324.09
-----	-----	-----	-----	------	--------


Oakland

Chrome Plated

5 Year Guarantee




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
OAK	916	500	300	1411	322.83
OAK-1	1176	500	300	1820	363.70



Chrome
Plated

5 Year
Guarantee

K Squared



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
SQR508C	800	500	455	1310	202.06
SQR608C	800	600	555	1520	227.47
SQR512C	1200	500	455	1910	278.30
SQR612C	1200	600	555	2200	303.72
SQR516C	1600	500	455	2495	354.54
SQR616C	1600	600	555	2890	392.67


K-Rail 22mm Black

M Matt Finish

5 5 Year Guarantee



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR408B	800	400	355	1567	123.00
STR410B	1000	400	355	1868	144.00
STR412B	1200	400	355	2274	159.00
STR416B	1600	400	355	3006	195.00
STR508B	800	500	455	1856	132.00
STR510B	1000	500	455	2194	161.65
STR512B	1200	500	455	2680	185.35
STR516B	1600	500	455	3540	213.00
STR608B	800	600	555	2151	141.00
STR610B	1000	600	555	2538	162.00
STR612B	1200	600	555	3109	190.72
STR616B	1600	600	555	4105	228.00




M Matt Finish

5 5 Year Guarantee

K-Rail 22mm Anthracite




Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR408A	800	400	355	1567	123.00
STR410A	1000	400	355	1868	144.00
STR412A	1200	400	355	2274	159.00
STR416A	1600	400	355	3006	195.00
STR508A	800	500	455	1856	132.00
STR510A	1000	500	455	2194	161.65
STR512A	1200	500	455	2680	185.35
STR516A	1600	500	455	3540	213.00
STR608A	800	600	555	2151	141.00
STR610A	1000	600	555	2538	162.00
STR612A	1200	600	555	3109	190.72
STR616A	1600	600	555	4105	228.00



Coloured K-Rails

G Gloss
Finish

5 5 Year
Guarantee



Notes: Max operating pressure 7 bar.

Make a statement with our coloured K-Rails. Available in 7 bold colours.



Grey (GR)
RAL7001

Blue (BL)
RAL5002

Light Blue (LB)
RAL5024

Red (R)
RAL3020

Magenta (M)
RAL4010

Orange (O)
RAL2004

Bright Yellow (Y)
RAL1016

22mm Straight

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t_{60^\circ\text{C}}$ (BTUs)	Price (£)
STR308	300	800	255	1364	141.84
STR408	400	800	355	1567	145.05
STR508	500	800	455	1856	149.63
STR608	600	800	555	2151	154.09
STR310	300	1000	255	1626	151.57
STR410	400	1000	355	1868	155.35
STR510	500	1000	455	2194	161.65
STR610	600	1000	555	2538	164.39
STR312	300	1200	255	1978	173.44
STR412	400	1200	355	2274	177.67
STR512	500	1200	455	2680	185.34
STR612	600	1200	555	3109	190.72
STR316	300	1600	255	2614	204.23
STR416	400	1600	355	3006	209.50
STR516	500	1600	455	3540	218.43
STR616	600	1600	555	4105	225.18
STR518	500	1800	455	4069	273.95
STR618	600	1800	555	4720	285.97

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t_{60^\circ\text{C}}$ (BTUs)	Price (£)
CTR308	300	800	255	1364	145.16
CTR408	400	800	355	1567	148.94
CTR508	500	800	455	1856	153.40
CTR608	600	800	555	2151	157.87
CTR310	300	1000	255	1626	155.46
CTR410	400	1000	355	1868	159.59
CTR510	500	1000	455	2194	166.22
CTR610	600	1000	555	2538	169.09
CTR312	300	1200	255	1978	177.79
CTR412	400	1200	355	2274	182.25
CTR512	500	1200	455	2680	190.38
CTR612	600	1200	555	3109	196.10
CTR316	300	1600	255	2614	209.61
CTR416	400	1600	355	3006	213.28
CTR516	500	1600	455	3540	222.21
CTR616	600	1600	555	4105	228.96
CTR518	500	1800	455	4069	281.74
CTR618	600	1800	555	4720	294.56

Please note that while the printed colours in this publication are a good reflection, they may not be an exact match to the finished products. All finishes are gloss.

K-Rail 22mm White

5 Year Guarantee

Finished in RAL 9016




22mm Straight


Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308W	300	800	255	1364	55.98
STR408W	400	800	355	1567	59.19
STR508W	500	800	455	1856	63.77
STR608W	600	800	555	2151	68.23
STR310W	300	1000	255	1626	65.71
STR410W	400	1000	355	1868	69.49
STR510W	500	1000	455	2194	75.79
STR610W	600	1000	555	2538	78.53
STR312W	300	1200	255	1978	73.27
STR412W	400	1200	355	2274	77.50
STR512W	500	1200	455	2680	85.17
STR612W	600	1200	555	3109	90.55
STR316W	300	1600	255	2614	89.75
STR416W	400	1600	355	3006	95.02
STR516W	500	1600	455	3540	103.95
STR616W	600	1600	555	4105	110.70
STR518W	500	1800	455	4069	130.85
STR618W	600	1800	555	4720	142.87

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308W	300	800	255	1364	59.30
CTR408W	400	800	355	1567	63.08
CTR508W	500	800	455	1856	67.54
CTR608W	600	800	555	2151	72.01
CTR310W	300	1000	255	1626	69.60
CTR410W	400	1000	355	1868	73.73
CTR510W	500	1000	455	2194	80.36
CTR610W	600	1000	555	2538	83.23
CTR312W	300	1200	255	1978	77.62
CTR412W	400	1200	355	2274	82.08
CTR512W	500	1200	455	2680	90.21
CTR612W	600	1200	555	3109	95.93
CTR316W	300	1600	255	2614	95.13
CTR416W	400	1600	355	3006	98.80
CTR516W	500	1600	455	3540	107.73
CTR616W	600	1600	555	4105	114.48
CTR518W	500	1800	455	4069	138.64
CTR618W	600	1800	555	4720	151.46



Tube diameter 22mm



Notes: Max operating pressure 7 bar.

22mm Straight


Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
STR308C	300	800	255	957	81.17
STR408C	400	800	355	1100	85.86
STR508C	500	800	455	1302	92.39
STR608C	600	800	555	1509	98.80
STR310C	300	1000	255	1140	95.25
STR410C	400	1000	355	1311	100.74
STR510C	500	1000	455	1540	109.79
STR610C	600	1000	555	1781	113.79
STR312C	300	1200	255	1388	106.12
STR412C	400	1200	355	1595	112.30
STR512C	500	1200	455	1881	123.41
STR612C	600	1200	555	2182	131.19
STR316C	300	1600	255	1835	130.16
STR416C	400	1600	355	2108	137.72
STR516C	500	1600	455	2484	150.66
STR616C	600	1600	555	2881	160.39
STR518C	500	1800	455	2855	189.58
STR618C	600	1800	555	3312	207.09

22mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
CTR308C	300	800	255	957	85.97
CTR408C	400	800	355	1100	91.36
CTR508C	500	800	455	1302	97.88
CTR608C	600	800	555	1509	104.29
CTR310C	300	1000	255	1140	100.97
CTR410C	400	1000	355	1311	106.81
CTR510C	500	1000	455	1540	116.43
CTR610C	600	1000	555	1781	120.55
CTR312C	300	1200	255	1388	112.42
CTR412C	400	1200	355	1595	119.06
CTR512C	500	1200	455	1881	130.74
CTR612C	600	1200	555	2182	139.09
CTR316C	300	1600	255	1835	137.95
CTR416C	400	1600	355	2108	143.21
CTR516C	500	1600	455	2484	156.15
CTR616C	600	1600	555	2881	165.88
CTR518C	500	1800	455	2855	200.91
CTR618C	600	1800	555	3312	219.46



Tube diameter 22mm



Notes: Max operating pressure 7 bar.



K-Rail 25mm Chrome

Chrome Plated

5 Year Guarantee




25mm Straight

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
25STR308C	300	800	255	1106	107.95
25STR408C	400	800	355	1272	111.85
25STR508C	500	800	455	1506	120.78
25STR608C	600	800	555	1746	124.55
25STR310C	300	1000	255	1319	120.78
25STR410C	400	1000	355	1516	124.55
25STR510C	500	1000	455	1781	133.48
25STR610C	600	1000	555	2060	137.26
25STR312C	300	1200	255	1605	133.48
25STR412C	400	1200	355	1845	137.26
25STR512C	500	1200	455	2175	146.08
25STR612C	600	1200	555	2524	149.97
25STR316C	300	1600	255	2122	158.90
25STR416C	400	1600	355	2439	162.68
25STR516C	500	1600	455	2873	171.61
25STR616C	600	1600	555	3332	188.09
25STR518C	500	1800	455	3302	222.32
25STR618C	600	1800	555	3830	238.92

25mm Curved

Product Code	Width (mm)	Height (mm)	Tapping Centres (mm)	Output $\Delta t60^{\circ}\text{C}$ (BTUs)	Price (£)
25CTR308C	300	800	255	1106	114.37
25CTR408C	400	800	355	1272	118.14
25CTR508C	500	800	455	1506	133.48
25CTR608C	600	800	555	1746	137.26
25CTR310C	300	1000	255	1319	127.07
25CTR410C	400	1000	355	1516	130.85
25CTR510C	500	1000	455	1781	139.78
25CTR610C	600	1000	555	2060	143.56
25CTR312C	300	1200	255	1605	139.78
25CTR412C	400	1200	355	1845	143.56
25CTR512C	500	1200	455	2175	152.49
25CTR612C	600	1200	555	2524	156.27
25CTR316C	300	1600	255	2122	171.61
25CTR416C	400	1600	355	2439	175.38
25CTR516C	500	1600	455	3302	184.20
25CTR616C	600	1600	555	3332	200.80
25CTR518C	500	1800	455	3302	235.14
25CTR618C	600	1800	555	3830	251.63




Notes: Max operating pressure 7 bar.



Electric Towel Rail – On/Off

Electric Towel Rail – Thermostatic



Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ESTR508C	800	500	455	150	204.80
ESTR510C	1000	500	455	200	235.60
ESTR512C	1200	500	455	300	266.74
Curved					
ECTR508C	800	500	455	150	211.10
ECTR510C	1000	500	455	200	241.90
ECTR512C	1200	500	455	300	273.03

Product Code	Height (mm)	Width (mm)	Tapping Centres (mm)	Element Power (W)	Price (£)
Straight					
ETSTR508C	800	500	455	150	258.84
ETSTR510C	1000	500	455	150	289.63
ETSTR512C	1200	500	455	300	320.77
Curved					
ECTCR508C	800	500	455	150	265.14
ECTCR510C	1000	500	455	150	295.93
ECTCR512C	1200	500	455	300	327.07

Radiator Valves & Extras



K-Design Angled TRV Twin Pack
 Chrome
 CR-TRV301A £79.99



K-Design Straight TRV Twin Pack
 Chrome
 CR-TRV201S £84.99



K-Design Corner TRV Twin Pack
 Chrome
 CR-TRV101C £89.99



K-Design Angled TRV Twin Pack
 Black
 BK-TRV301A £79.99



K-Design Straight TRV Twin Pack
 Black
 BK-TRV201S £84.99



K-Design Corner TRV Twin Pack
 Black
 BK-TRV101C £89.99



K-Design Angled TRV Twin Pack
 Anthracite
 AN-TRV301A £79.99



K-Design Straight TRV Twin Pack
 Anthracite
 AN-TRV201S £84.99



K-Design Corner TRV Twin Pack
 Anthracite
 AN-TRV101C £89.99



K-Design Angled TRV Twin Pack
White
WT-TRV301A £79.99



K-Design Straight TRV Twin Pack
White
WT-TRV201S £84.99



K-Design Corner TRV Twin Pack
White
WT-TRV101C £89.99



K-Design Angled TRV Twin Pack
Brushed Nickel
NK-TRV301A £84.99



K-Design Corner TRV Twin Pack
Brushed Nickel
NK-TRV201S £94.99



K-Design Angled TRV Twin Pack
Brushed Brass
BR-TRV301A £84.99



K-Design Corner TRV Twin Pack
Brushed Brass
BR-TRV201S £94.99

Radiator Valves & Extras



K-Therm Refined Thermostatic Valve

Straight TRVRS **£16.50**
 Angled TRVRA **£14.50**



K-Therm Refined All Chrome Thermostatic Valve

Straight TRVRSC **£17.50**
 Angled TRVRAC **£15.00**



K-Therm Refined Angled Twin Valve Pack

TPLSTRVRA **£18.50**



K-Therm Style Angled Twin Valve Pack

TPLSTRVSA **£14.50**



K-Therm Style Thermostatic Valve

Straight TRVSS **£11.00**
 Angled TRVSA **£11.00**



Times Manual Valves (Pair)

Straight CROSS-STR **£25.00**
 Angled CROSS-ANG **£25.00**



Nostalgia Thermostatic Valves (Pair)

VLVCHA-TRV **£73.00**



Nostalgia Manual Valves (Pair)

VLVCHA-AB1 **£55.00**



Corner Valves (Pair)

CRNV **£26.50**



Traditional Cross Head Valves Chrome (Pair)

TRAD-CROSS-ANG **£26.00**



Traditional Valves Chrome (Pair)

TRAD-ANG-C **£40.00**



Traditional Valves Brass (Pair)

TRAD-ANG-B **£45.00**



Modern Valves Chrome (Pair)

Straight	
KART-STR	£18.00
Angled	
KART-ANG	£18.00



Modern Valves Anthracite (Pair)

Straight	
ANTH-STR	£38.50
Angled	
ANTH-ANG	£38.50



Modern Valves Black (Pair)

Straight	
BLACK-STR	£38.50
Angled	
BLACK-ANG	£38.50



Aspen Valves (Pair)

Straight	
ASP-STR	£46.00
Angled	
ASP-ANG	£43.00



Cube Valves (Pair)

Straight	
CUBE-STR	£24.00
Angled	
CUBE-ANG	£24.00



Square Valves (Pair)

Straight	
SQR-STR	£43.00
Angled	
SQR-ANG	£45.50



Dual Fuel Heating Element

HE150	150 Watt	£69.98
HE300	300 Watt	£77.00
HE600	600 Watt	£84.02

Dual Fuel Thermostatic Heating Element

TE300	300 Watt	£139.97
TE600	600 Watt	£154.01



Dual Fuel Thermostatic Heating Element



KARTELL^{UK}

Kartell UK Ltd
16-19 The Manton Centre, Manton Lane,
Bedford MK41 7PX
Tel 01234 363 393 Fax 01234 363 488

Kartell UK Ltd
Unit 3, Greenbank Business Park, Swan Lane,
Hindley Green, Wigan WN2 4EZ
Tel 01942 257 800 Fax 01942 257 900

www.kartelluk.com